

**Amendments to the Claims:**

Claims 1, 5, 6, 13 and 17 have been amended herein. New claims 29-36 have been added. Claims 18-28 have been cancelled, without prejudice, to the prospective filing of one or more divisional applications including same. Please note that all claims currently pending and under consideration in the referenced application are shown below. Please enter these claims as amended. This listing of claims will replace all prior versions and listings of claims in the application.

**Listing of Claims:**

1. (Currently Amended) A method of communications, comprising:  
dividing a plurality of subscriber stations into a plurality of groups;  
assigning a different plurality of orthogonal codes for supplemental traffic channels to each of the groups, the number of the orthogonal codes assigned to one of the groups being less than the number of subscriber stations in said one of the groups;  
encoding communications to one of the subscriber stations in said one of the groups at a data rate; and  
determining whether to spread at least a portion of communications to said one of the subscriber stations with one of the orthogonal codes assigned to said one of the groups as a function of the data rate.
2. (Original) The method of claim 1 further comprising allocating to said one of the subscriber stations one or more of the orthogonal codes assigned to said one of the groups, said one of the orthogonal codes being selected from the one or more of the orthogonal codes allocated to said one of the subscriber stations.
3. (Original) The method of claim 1 further comprising allocating to each of the subscriber stations in said one of the groups one or more of the orthogonal codes assigned to said one of the groups, and using each of the orthogonal codes in said one of the groups to spread at least a portion of communications to different subscriber stations in said one of the groups, the

orthogonal code being used to spread said at least a portion of the communications to each of the different subscriber stations being selected from the respective one or more of the codes allocated thereto.

4. (Original) The method of claim 1 further comprising spreading a second portion of the communications to said one of the subscriber stations with a second orthogonal code different from each of the orthogonal codes assigned to the groups.

5. (Currently Amended) The method of claim 1 wherein the data rate of the communications comprises a full rate and less than a full rate, and wherein said at least a portion of the communications to said one of the subscriber stations is spread with said one of the orthogonal codes when the data rate of the communications is the full rate, and wherein said at least a portion of the communications to said one of the subscriber stations is not spread with said one of the orthogonal codes when the data rate of the communications is less than the full rate.

6. (Currently Amended) A communications station, comprising:  
a processor configured to divide a plurality of subscriber stations into a plurality of groups, and assign a different plurality of orthogonal codes for supplemental traffic channels to each of the groups, the number of the orthogonal codes assigned to one of the groups being less than the number of subscriber stations in said one of the groups; and

an encoder configured to encode communications to one of the subscriber stations in said one of the groups at a data rate;

wherein the processor is further configured to determine whether to spread at least a portion of the communications to said one of the subscriber stations with one of the orthogonal codes assigned to said one of the groups as a function of the data rate.

7. (Original) The communications station of claim 6 wherein the orthogonal codes assigned to said one of the groups each have the same length.

8. (Original) The communications station of claim 6 wherein the processor is further configured to allocate to said one of the subscriber stations one or more of the orthogonal codes assigned to said one of the groups, said one of the orthogonal codes being selected from the one or more of the orthogonal codes allocated to said one of the subscriber stations.

9. (Original) The communications station of claim 6 wherein the encoder is further configured to encode communications to the subscriber stations in said one of the groups, and wherein the processor is further configured to allocate one or more of the orthogonal codes assigned to said one of the groups to each of the subscriber stations in said one of the groups, and use each of the orthogonal codes in said one of the groups to spread at least a portion of the communications of different ones of the subscriber stations in said one of the groups, the orthogonal code being used to spread said at least a portion of the communications to each of the different ones of the subscriber stations being selected from the respective one or more of the codes allocated thereto.

10. (Original) The communications station of claim 9 wherein a different combination of the orthogonal codes are allocated to each of the subscriber stations in said one of the groups.

11. (Original) The communications station of claim 9 wherein a same combination of the orthogonal codes are allocated to a plurality of the subscriber stations in said one of the groups.

12. (Original) The communications station of claim 6 further comprising a modulator configured to spread a second portion of the communications to said one of the subscriber stations with a second orthogonal code different from each of the orthogonal codes assigned to the groups.

13. (Currently Amended) The communications station of claim 6 [[12]] wherein the data rate of the communications comprises a full rate and less than a full rate, the communications station further comprising a modulator configured to spread said at least a portion of the communications to said one of the subscriber stations when the data rate of the

communications is the full rate, and not spread said at least a portion of the communications to said one of the subscriber stations when the data rate of the communications is less than the full rate.

14. (Original) The communications station of claim 13 wherein the less than full rate comprises a data rate equal to  $\frac{1}{2}$  the full rate.

15. (Original) The communications station of claim 14 wherein the less than full rate comprises a data rate equal to  $\frac{1}{4}$  the full rate and a data rate equal to  $\frac{1}{8}$  the full rate.

16. (Original) The communications station of claim 15 wherein the encoder comprises a vocoder.

17. (Currently Amended) A communications station, comprising:  
means for dividing a plurality of subscriber stations into a plurality of groups;  
means for assigning a different plurality of orthogonal codes for supplemental traffic channels to each of the groups, the number of the orthogonal codes assigned to one of the groups being less than the number of subscriber stations in said one of the groups;  
means for encoding communications to one of the subscriber stations in said one of the groups at a data rate; and  
means for determining whether to spread at least a portion of the communications to said one of the subscriber stations with one of the orthogonal codes assigned to said one of the groups as a function of the data rate.

18-28. (Canceled)

29. (New) A computer-readable medium including computer-executable instructions for performing the steps of:  
dividing a plurality of subscriber stations into a plurality of groups;

assigning a different plurality of orthogonal codes for supplemental traffic channels to each of the groups, the number of the orthogonal codes assigned to one of the groups being less than the number of subscriber stations in said one of the groups;

encoding communications to one of the subscriber stations in said one of the groups at a data rate; and

determining whether to spread at least a portion of communications to said one of the subscriber stations with one of the orthogonal codes assigned to said one of the groups as a function of the data rate.

30. (New) The computer-readable medium of claim 29 further comprising computer-executable instructions for performing the step of allocating to said one of the subscriber stations one or more of the orthogonal codes assigned to said one of the groups, said one of the orthogonal codes being selected from the one or more of the orthogonal codes allocated to said one of the subscriber stations.

31. (New) The computer-readable medium of claim 29 further comprising computer-executable instructions for performing the step of allocating to each of the subscriber stations in said one of the groups one or more of the orthogonal codes assigned to said one of the groups, and using each of the orthogonal codes in said one of the groups to spread at least a portion of communications to different subscriber stations in said one of the groups, the orthogonal code being used to spread said at least a portion of the communications to each of the different subscriber stations being selected from the respective one or more of the codes allocated thereto.

32. (New) The computer-readable medium of claim 29 further comprising computer-executable instructions for performing the step of spreading a second portion of the communications to said one of the subscriber stations with a second orthogonal code different from each of the orthogonal codes assigned to the groups.

33. (New) The computer-readable medium of claim 32 wherein the data rate of the communications comprises a full rate and less than a full rate, and wherein said at least a portion

of the communications to said one of the subscriber stations is spread with said one of the orthogonal codes when the data rate of the communications is the full rate, and wherein said at least a portion of the communications to said one of the subscriber stations is not spread with said one of the orthogonal codes when the data rate of the communications is less than the full rate.

34. (New) A method of communications, comprising:

receiving a dedicated orthogonal code for a dedicated traffic channel wherein the length of the dedicated orthogonal code supports a first data rate less than a maximum data rate of a subscriber station; and

receiving an assignment of a plurality of orthogonal codes for supplemental traffic channels wherein the length of at least one of the plurality of orthogonal codes supports a second data rate adequate to handle an overflow up to the maximum data rate of the subscriber station.

35. (New) The method of claim 34 wherein the first data rate is a half data rate and the second data rate is one of an eighth data rate, quarter data rate, and half data rate.

36. (New) The method of claim 34 wherein one of the plurality of orthogonal codes for supplemental channels can be substituted for another one of the plurality of orthogonal codes on a frame-by-frame basis.